

Biomass-based Nanocomposites and Mesoporous Materials

Tae Jin Kim

*Corresponding author: Tae Jin Kim, Chemical and Molecular Engineering Department, Stony Brook University, USA

Received Date: December 05, 2013, Accepted Date: December 28, 2013, Published Date: January 20, 2014

Citation: Tae Jin Kim (2013) Biomass-based Nanocomposites and Mesoporous Materials. J Nanotech Smart Mater 1:1.

The conversion of lignocellulosic biomass into fuels and chemicals has been rigorously investigated as a response to the depletion of petroleum resources, increasing demand for in oil and secure access to energy [1-4]. It has been estimated that by 2030 lignocellulosic biomass could supply a substantial portion of the international chemical and transportation fuel market [5]. Lignocellulosic biomass is usually composed of three components: 35-50 wt% cellulose, 20-40 wt% hemicellulose, and 10-25 wt% lignin. While lignocellulose is cheap and abundant forms of biomass, it is difficult to convert to target materials due to the high crystallinity structure and oxygen/carbon ratio. In order to increase the biomass conversion and upgrade bio-oil into fuels (green diesel) and chemicals, oxygen reduction and chemical bonding rearrangement are crucial. Lignocellulose can be depolymerized to C_5/C_6 fragment by hydrolysis using an acid catalyst such as HCl or H_2SO_4 . Furfuryl alcohol (FA; $C_5H_6O_2$) and hydroxymethylfurfural (HMF, $C_6H_6O_3$), which can be produced from hemicellulose and cellulose, respectively, by dehydration and decomposition, have been identified as are considered to be a key furan derivatives [6].

At higher FA concentrations in the aqueous phase with acid catalysts, FA monomer easily converts to polymeric materials [7,8]. Polymeric Furfuryl alcohol (PFA) is compatible with petroleum-based organic polymers. Microporous carbon spheres and membrane were synthesized with biomass-based chemicals and have been used for preparing corrosion-protective materials, electrode materials, synthesizing nanocomposite, nanoporous carbons and glassy carbon [9-11]. For instance, carbonized poly(furfuryl alcohol) membrane showed ~94% salt rejection for water desalination [12]. Recently, H. Wang and J. Yao published review paper in the journal of Ind. Eng. Chem. Res regarding the use of furfuryl alcohol polymer in carbon nanostructure and nanocomposite [13]. Authors highlighted that renewable biomass based poly(furfuryl alcohol)(PFA) is very attractive precursor for carbon materials and it would be a key template for fabrication of nanostructured materials.

A wide number of characterization techniques have been used to explore the reaction mechanism, intermediate species, and structure morphology during the furan derivatives polymerization reaction; FT-IR [7,12,14,15,23,25], Raman [7,25], UV-vis [7,23] SEM [12,14-19,24,25], TEM [19-21,25], and NMR [22,23]. Theoretical studies have been also carried out to investigate the thermodynamic properties and support experimental results. [26] For instance, combined with the theory calculation, chemical bonding, such as exocyclic and endocyclic C=C, vibration information provided and proved a hypothesized polymerization mechanisms [26]. To enhance a functionality of polymer material, metal nanoparticles contained and metal-based porous materials were developed and can be applied to active catalysts. [27,28]

In summary, biomass derived nano-materials are promising option for replacing a current petrochemical based ones and targeted products' yield can be improved with an effective novel catalysts.

References

- 1) Román-Leshkov Y, Chheda JN, Dumesic JA (2006) Phase modifiers promote efficient production of hydroxymethylfurfural from fructose. *Science* 312: 1933-1937.
- 2) Bond JQ, Alonso DM, Wang D, West RM, Dumesic JA (2010) Integrated Catalytic Conversion of γ -Valerolactone to Liquid Alkenes for Transportation Fuels. *Science* 327: 1110-1114.
- 3) B. Kamm (2007) Production of Platform Chemicals and Synthesis Gas from Biomass. *AngewChemInt Ed Engl.* 46: 5056-5058.
- 4) Lange JP, van de Graaf WD, Haan RJ (2009) Conversion of furfuryl alcohol into ethyl levulinate using solid acid catalysts. *ChemSusChem* 2: 437-441.
- 5) George W. Huber, James A. Dumesic (2006) An overview of aqueous-phase catalytic processes for production of hydrogen and alkanes in a biorefinery. *Catal.* 111: 119-132.
- 6) Wouter Van De Graaf, Jean-Paul Lange (2007) Process for the conversion of furfuryl alcohol into levulinic acid or alkyl levulinate U.S. Patent 7,265,239, B2.
- 7) Bertarione S, Bonino F, Cesano F, Damin A, Scarano D, et al. (2008) Furfuryl Alcohol Polymerization in H-Y Confined Spaces: Reaction Mechanism and Structure of Carbocationic Intermediates. *J.Phys. Chem. B* 112: 2580-2589.
- 8) B. Girisuta, L. P. B. M. Janssen, H. J. Heeres (2006) kinetic study on the decomposition of 5-hydroxymethylfurfural into levulinic acid? *Green Chem.* 8: 701-709.

- 9) L. Pranger, R. Tannenbaum (2008) Biobased Nanocomposites Prepared by In Situ Polymerization of Furfuryl Alcohol with Cellulose Whiskers or Montmorillonite Clay. *Macromolecules* 41: 8682-8687.
- 10) Xue Hu Mena, Zhao Zhu Zhanga, HaoJieSonga, Kun Wang, Wei Jiang (2008) Functionalization of carbon nanotubes to improve the tribological properties of poly(furfuryl alcohol) composite coatings *Compos. Sci. Technol.* 68: 1042-1049.
- 11) Aldo J.G Zarbin, Roberto Bertholdo, Maria A.F.C Oliveira (2002) Preparation, characterization and pyrolysis of poly(furfuryl alcohol)/porous silica glass nanocomposites: novel route to carbon template *Carbon*. 40: 2413-2422.
- 12) Li He, Dan Li, Guangyou Zhang, Paul A. Webley, Dongyuan Zhao, et al. (2010) Synthesis of Carbonaceous Poly(furfuryl alcohol) Membrane for Water Desalination” *Ind. Eng. Chem. Res.* 49: 4175-4180.
- 13) H. Wang, J. Yao (2006) Use of Poly(furfuryl alcohol) in the Fabrication of Nanostructured Carbons and Nanocomposites *Ind. Eng. Chem. Res.* 45: 6393-6404.
- 14) SKR Patil, CRF Lund (2011) Formation and Growth of Humins via Aldol Addition and Condensation during Acid-Catalyzed Conversion of 5-Hydroxymethylfurfural. *Energy Fuels* 25: 4745-4755.
- 15) S.K.R.Patil, J. Heltzel, C.R.F. Lund (2012) Comparison of Structural Features of Humins Formed Catalytically from Glucose, Fructose, and 5-Hydroxymethylfurfuraldehyde. *Energy Fuels* 26: 5281-5293.
- 16) M.M. Titirici, M. Antonirrti, N. Baccile (2008) Hydrothermal carbon from biomass: a comparison of the local structure from poly- to monosaccharides and pentoses/hexoses. *Green Chem* 10: 1204-1212.
- 17) N. Shi, Q. Liu, Q. Zhang, T. Wang, L. Ma (2013) High yield production of 5-hydroxymethylfurfural from cellulose by high concentration of sulfates in biphasic system. *Green Chem* 15: 1967-1974.
- 18) Y.R. Dong, N. Nishiyama, Y. Egashira, K. Ueyama (2007) H₂-selective carbon membranes prepared from furfuryl alcohol by vapor phase synthesis” *Ind. Eng. Chem. Res.* 46: 4040-4044.
- 19) J. Yao, H. Wang, J. Liu, K.Y. Chan, L. Zhang, et al. (2005) Preparation of colloidal microporous carbon spheres from furfuryl alcohol. *Carbon* 43: 1709-1715.
- 20) M.S. Kane, J.F. Goellner, H.C. Foley, R. DiFrancesco, S.J.L. Billinge, et al. (1996) Symmetry Breaking in Nanostructure Development of Carbogenic Molecular Sieves: Effects of Morphological Pattern Formation on Oxygen and Nitrogen Transport. *Chem. Mater.* 8: 2159-2171.
- 21) T. Kyotani, L.F. Tsai, A. Tomita (1996) Preparation of Ultrafine Carbon Tubes in Nanochannels of an Anodic Aluminum Oxide Film. *Chem. Mater* 8: 2109-2113.
- 22) C. Yao, Y Shin, L.Q. Wang, C.F. Windisch, W.D. Samuels, et al. (2007) Hydrothermal Dehydration of Aqueous Fructose Solutions in a Closed System. *J. Phys. Chem.* 111: 15141-15145.
- 23) M. Choura, N.M. Belgacem, A. Gandini (1996) Acid-Catalyzed Polycondensation of Furfuryl Alcohol: Mechanisms of Chromophore Formation and Cross-Linking. *Macromolecules* 29: 3839-3850.
- 24) W.G. Trindade, W. Hoareau, J.D. Megiatto, I.A.T. Razera, A. Castellan, et al. (2005) Thermoset phenolic matrices reinforced with unmodified and surface-grafted furfuryl alcohol sugar cane bagasse and curaua fibers: properties of fibers and composite. *Biomacromolecules* 6: 2485-2496.
- 25) B. Yi, R. Rahagopalan, H.C. Foley, U.J. Kim, X. Liu, et al. (2006) Catalytic Polymerization and Facile Grafting of Poly(furfuryl alcohol) to Single-Wall Carbon Nanotube: Preparation of Nanocomposite Carbon” *J. Am. Chem. Soc.* 28: 11307-11313.
- 26) a) T. Kim, R.S. Assary, R.E. Pauls, C.L. Marshall, et al. (2013) Thermodynamics and Reaction Pathways of Furfuryl Alcohol Oligomer Formation. *Catal. Commun.*
- b) T. Kim, R.S. Assary, Hacksung Kim, C.L. Marshall, D.J. Gosztola, et al. (2013) Effects of solvent on the furfuryl alcohol polymerization reaction: UV Raman spectroscopy study. *Catal. Today* 205: 60-66.
- c) T. Kim, R.S. Assary, C.L. Marshall, D.J. Gosztola, L.A. Curtiss, et al. (2012) Studies of the Raman Spectra of Cyclic and Acyclic Molecules: Combination and Prediction Spectrum Methods. *Chemical Physics Letters.* 531: 210-215.
- d) R.S. Assary, T. Kim, J.J. Low, J. Greeley, L.A. Curtiss (2012) Glucose and fructose to platform chemicals: understanding the thermodynamic landscapes of acid-catalysed reactions using high-level ab initio methods. *Phys. Chem. Chem. Phys.* 14: 16603-16611.
- e) T. Kim, R.S. Assary, C.L. Marshall, D.J. Gosztola, L.A. Curtiss, et al. (2011) Acid-Catalyzed Furfuryl Alcohol Polymerization: Characterizations of Molecular Structure and Thermodynamic Properties. *Chem-CatChem* 3: 1451-1458.
- f) T. Kim, R.S. Assary, C.L. Marshall, L.A. Curtiss, P.C. Stair (2011) Vibrational properties of levulinic acid and furan derivatives: Raman spectroscopy and theoretical calculations. *J. Raman Spectrosc.* 42: 2069-2076.
- 27) I.S. Park, M. Choi, T.W. Kim, R. Ryoo (2006) Synthesis of magnetically separable ordered mesoporous carbons using furfuryl alcohol and cobalt nitrate in a silica template. *J. Mater. Chem.* 16: 3409-3416.